Electroencephalography and clinical Neurophysiology, 84 (1992) 553–556
© 1992 Elsevier Scientific Publishers Ireland, Ltd. 0168-5597/92/$05.00

Index of Authors

VOLUME 84, 1992 (Evoked Potentials)

(Abstracts from Society Proceedings are not included)

Al-Bunyan, M., see Yaqub, B.A. (84) 549
Alho, K., see Kujala, T. (84) 469
Allison, T., McCarthy, G. and Wood, C.C.
The relationship between human long-latency somatosensory evoked potentials recorded from the cortical surface and from the scalp (84) 301
Allison, T., see Paller, K.A. (84) 269
Arezzo, J.C., see Steinschneider, M. (84) 196

Banfi, P., see Versino, M. (84) 296
Barrett, G., see Pelosi, L. (84) 344, 515
Barth, D.S., see Baumgartner, C. (84) 115
Bastuji, H., see García Larrea, L. (84) 71
Baumgartner, C., Barth, D.S., Levesque, M.F. and Sutherling, W.W.
Human hand and lip sensorimotor cortex as studied on electrocorticography (84) 115
Bergamaschi, R., see Versino, M. (84) 296
Birbaumer, N., Roberts, L.E., Lutzenberger, W., Rockstroh, B. and Elbert, T.
Area-specific self-regulation of slow cortical potentials on the sagittal midline and its effects on behavior (84) 353
Blair, R.C., see Karniski, W. (84) 44
Blumhardt, L.D., see Pelosi, L. (84) 344, 515
Boccaletto, F., see Cusumano, S. (84) 499
Bodis-Wollner, I., Brannan, J.R., Nicoll, J., Frkovic, S. and Mylin, L.H.
A short latency cortical component of the foveal VEP is revealed by hemifield stimulation (84) 201
Borenstein, S., see Cheron, G. (84) 288
Bortolani, E., see Fava, E. (84) 426
Brannan, J.R., see Bodis-Wollner, I. (84) 201
Brecelj, J.
A VEP study of the visual pathway function in compressive lesions of the optic chiasm. Full-field versus half-field stimulation (84) 209
Brezinova, V., see Gibson, N.A. (84) 26
Brovedani, P., see Rugg, M.D. (84) 521
Buchwald, J.S., Erwin, R., Van Lancker, D., Guthrie, D., Schwafel, J. and Tanguay, P.
Midlatency auditory evoked responses: P1 abnormalities in adult autistic subjects (84) 164
Burke, D., see Skuse, N.F. (84) 20

Callieco, R., see Versino, M. (84) 296
Carteri, A., see Cusumano, S. (84) 499
Champagne, S.C., see Picton, T.W. (84) 90
Cheron, G. and Borenstein, S.
Mental movement simulation affects the N_{30} frontal component of the somatosensory evoked potential (84) 288
Citterio, A., see Versino, M. (84) 296
Coenen, A.M.L., see Inoue, M. (84) 172
Cohen, L.G., see Reilly, J.A. (84) 243
Cosi, V., see Versino, M. (84) 296
Csépe, V., Pantev, C., Hoke, M., Hampson, S. and Ross, B.
Evoked magnetic responses of the human auditory cortex to minor pitch changes: localization of the mismatch field (84) 538
Cséscei, G., see Firsching, R. (84) 321
Cusumano, S., Paolin, A., Di Paola, F., Boccaletto, F., Simini, G., Palermo, F. and Carteri, A.
Assessing brain function in post-traumatic coma by means of bit-mapped SEPs, BAEPs, CT, SPET and clinical scores. Prognostic implications (84) 499

Daif, A., see Yaqub, B.A. (84) 549
Dang, N., see Reilly, J.A. (84) 243
Di Lazzaro, V., Restuccia, D., Fogli, D., Nardone, R., Mazza, S. and Tonali, P.
Central sensory and motor conduction in vitamin B12 deficiency (84) 433
Di Paola, F., see Cusumano, S. (84) 499
Dowman, R. and Goshko, L.
Evaluation of reference sites for scalp potentials evoked by painful and non-painful sural nerve stimulation (84) 477
Doyle, M.C., see Rugg, M.D. (84) 521
Ducati, A., see Fava, E. (84) 426

Ebmeier, K.P.
A quantitative method for the assessment of overall effects from a number of similar electrophysiological studies: description and application to event-related potentials in Parkinson's disease (84) 440
Ebmeier, K.P., Glabus, M., Potter, D.D. and Salzen, E.A.
The effect of different high-pass filter settings on peak latencies in the event-related potentials of schizophrenics, patients with Parkinson's disease and controls (84) 280
Elbert, T., see Birbaumer, N. (84) 353
Endo, C., see Kakigi, R. (84) 110
Erwin, R., see Buchwald, J.S. (84) 164
Etlinger, S.C., see Kropotov, J.D. (84) 373, 386

Faux, S.F., see Holinger, D.P. (84) 532
Fava, E., Bortolani, E., Ducati, A. and Schieppati, M.
Role of SEP in identifying patients requiring temporary shunt during carotid endarterectomy (84) 426
Fenton, G.W., see Sloan, E.P. (84) 325
Firsching, R., Wilhelms, S. and Cséscei, G.
Pyramidal tract function during onset of brain death (84) 321
Flamm, E.S., see Pratt, H. (84) 447
Fogli, D., see Di Lazzaro, V. (84) 433

Fowler, C.G. and Mikami, C.M.
Effects of noise bandwidth on the late-potential masking level difference (84) 157
Frame, A.M., see Pigeau, R.A. (84) 101
Franssen, H., Stegeman, D.F., Moleman, J. and Schoobaar, R.P.
Dipole modelling of median nerve SEPs in normal subjects and patients with small subcortical infarcts (84) 401
Frkovic, S., see Bodis-Wollner, I. (84) 201
Froehlich, J. and Kaufman, D.I.
Improving the reliability of pattern electroretinogram recording (84) 394
Fuchigami, T., see Yamada, T. (84) 492
Fujii, M., see Yamada, T. (84) 492
Fukumura, A., see Urasaki, E. (84) 232

García Larrea, L., Bastuji, H. and Mauguière, F.
Unmasking of cortical SEP components by changes in stimulus rate: a topographic study (84) 71
Genba, K., see Sonoo, M. (84) 418, 486
Gerosa, E., see Versino, M. (84) 296
Ghaly, R.F., see Stone, J.L. (84) 180
Gibson, N.A., Brezinova, V. and Levene, M.I.
Somatosensory evoked potentials in the term newborn (84) 26
Givre, S.J., see Schroeder, C.E. (84) 219
Glabus, M., see Ebmeier, K.P. (84) 280
Goshko, L., see Dowman, R. (84) 477
Green, A.I., see Holinger, D.P. (84) 532
Guthrie, D., see Buchwald, J.S. (84) 164

Hallett, M., see Reilly, J.A. (84) 243
Hamada, S., see Urasaki, E. (84) 232
Hamano, T., see Nagamine, T. (84) 248
Hampson, S., see Csépe, V. (84) 538
Hayward, M., see Pelosi, L. (84) 344, 515
Hoke, M., see Csépe, V. (84) 538
Holinger, D.P., Faux, S.F., Shenton, M.E., Sokol, N.S., Seidman, L.J., Green, A.I. and McCarley, R.W.
Reversed temporal region asymmetries of P300 topography in left- and right-handed schizophrenic subjects (84) 532
Holly, M., see Pelosi, L. (84) 344, 515
Honda, Y., see Yamada, T. (84) 492
Hummel, C., see Hummel, T. (84) 192
Hummel, T. and Kobal, G.
Differences in human evoked potentials related to olfactory or trigeminal chemosensory activation (84) 84
Hummel, T., Livermore, A., Hummel, C. and Kobal, G.
Chemosensory event-related potentials in man: relation to olfactory and painful sensations elicited by nicotine (84) 192

Ingvar, D.H., see Wirsén, A. (84) 127
Inoue, M., Van Luijtelaar, E.L.J.M., Vossen, J.M.H. and Coenen, A.M.L.
Visual evoked potentials during spontaneously occurring spike-wave discharges in rats (84) 172
Iwata, M., see Sonoo, M. (84) 418
Iwatsubo, T., see Sonoo, M. (84) 486

Javitt, D.C., see Steinschneider, M. (84) 196
Jones, S.J.
AEPs at the onset and offset of repetitive sound modulation, due to mismatch with the contents of an auditory sensory store (84) 149

Kabiraj, M.M.U., see Yaqub, B.A. (84) 549
Kadoya, C., see Urasaki, E. (84) 232
Kaji, R., see Nagamine, T. (84) 248
Kakigi, R. and Kuroda, Y.
Brain-stem auditory evoked potentials in adults with Down's syndrome (84) 293
Kakigi, R., Kuroda, Y., Takashima, H., Endo, C., Neshige, R. and Shibasaki, H.
Physiological functions of the ascending spinal tracts in HTLV-I-associated myelopathy (HAM) (84) 110
Kanazawa, I., see Sonoo, M. (84) 418
Karniski, W.
The late somatosensory evoked potential in premature and term infants. I. Principal component topography (84) 32
Karniski, W., Wyble, L., Lease, L. and Blair, R.C.
The late somatosensory evoked potential in premature and term infants. II. Topography and latency development (84) 44
Kartha, R., see Stone, J.L. (84) 180
Kaufman, D.I., see Froehlich, J. (84) 394
Kellett, A.J.C., see Picton, T.W. (84) 90
Kimura, J., see Nagamine, T. (84) 248
Knight, R.T., see Yamaguchi, S. (84) 139
Kobal, G., see Hummel, T. (84) 84, 192
Kömpf, D., see Verleger, R. (84) 332
Kraus, N., see Littman, T. (84) 362
Krinsky, L., see Stone, J.L. (84) 180
Kropotov, J.D., Etlinger, S.C., Ponomarev, V.A. and Sevastyanov, A.V.
Event-related neuronal responses in the human strio-pallido-thalamic system. I. Sensory and motor functions (84) 373
Kropotov, J.D., Etlinger, S.C., Ponomarev, V.A., Kuznetzov, M.A. and Trofimova, L.G.
Event-related neuronal responses in the human strio-pallido-thalamic system. II. Cognitive functions (84) 386
Kujala, T., Alho, K., Paavilainen, P., Summala, H. and Näätänen, R.
Neural plasticity in processing of sound location by the early blind: an event-related potential study (84) 469
Kuroda, Y., see Kakigi, R. (84) 110, 293
Kuznetzov, M.A., see Kropotov, J.D. (84) 386

Lease, L., see Karniski, W. (84) 44
Levene, M.I., see Gibson, N.A. (84) 26
Levesque, M.F., see Baumgartner, C. (84) 115
Levy, W.J., see Stone, J.L. (84) 180
Littman, T., Kraus, N., McGee, T. and Nicol, T.
Binaural stimulation reveals functional differences between midline and temporal components of the middle latency response in guinea pigs (84) 362
Livermore, A., see Hummel, T. (84) 192
Lutzenberger, W., see Birbaumer, N. (84) 353

Mannen, T., see Sonoo, M. (84) 418, 486
Martin, W.H., see Pratt, H. (84) 447
Matsue, Y., see Yamada, T. (84) 492
Mauguière, F., see García Larrea, L. (84) 71
Mazza, S., see Di Lazzaro, V. (84) 433
McCarley, R.W., see Holinger, D.P. (84) 532
McCarthy, G., see Allison, T. (84) 301
McCarthy, G., see Paller, K.A. (84) 269
McGee, T., see Littman, T. (84) 362
Meyer, M., see Török, B. (84) 13
Mikami, C.M., see Fowler, C.G. (84) 157
Moleman, J., see Franssen, H. (84) 401
Moriya, H., see Okamoto, Y. (84) 315
Murakami, M., see Okamoto, Y. (84) 315
Murata, A., see Okamoto, Y. (84) 315
Mylin, L.H., see Bodis-Wollner, I. (84) 201

Näätänen, R., see Kujala, T. (84) 469
Nagamine, T., Kaji, R., Suwazono, S., Hamano, T., Shibasaki, H. and Kimura, J.
Current source density mapping of somatosensory evoked responses following median and tibial nerve stimulation (84) 248
Nagaoka, T., Walker, D.D., Seaba, P.J. and Yamada, T.
"Cross-talk" in recording evoked potentials (84) 473
Nakagawa, T., see Okamoto, Y. (84) 315
Nardone, R., see Di Lazzaro, V. (84) 433
Nelson, J.I. and Seiple, W.H.
Human VEP contrast modulation sensitivity: separation of magno- and parvocellular components (84) 1
Neshige, R., see Kakigi, R. (84) 110
Neukäter, W., see Verleger, R. (84) 332
Nicol, T., see Littman, T. (84) 362
Nicoll, J., see Bodis-Wollner, I. (84) 201

Okamoto, Y., Murakami, M., Nakagawa, T., Murata, A. and Moriya, H.
Intraoperative spinal cord monitoring during surgery for aortic aneurysm: application of spinal cord evoked potential (84) 315

Paavilainen, P., see Kujala, T. (84) 469
Palermo, F., see Cusumano, S. (84) 499
Paller, K.A., McCarthy, G., Roessler, E., Allison, T. and Wood, C.C.
Potentials evoked in human and monkey medial temporal lobe during auditory and visual oddball paradigms (84) 269
Pantev, C., see Csépe, V. (84) 538
Paolin, A., see Cusumano, S. (84) 499
Pelosi, L., Holly, M., Slade, T., Havward, M., Barrett, G. and Blumhardt, L.D.
Wave form variations in auditory event-related potentials evoked by a memory-scanning task and their relationship with tests of intellectual function (84) 344
Pelosi, L., Holly, M., Slade, T., Hayward, M., Barrett, G. and Blumhardt, L.D.
Event-related potential (ERP) correlates of performance of intelligence tests (84) 515
Picton, T.W., Champagne, S.C. and Kellett, A.J.C.
Human auditory evoked potentials recorded using maximum length sequences (84) 90
Pigeau, R.A. and Frame, A.M.
Steady-state visual evoked responses in high and low alpha subjects (84) 101
Ponomarev, V.A., see Kropotov, J.D. (84) 373, 386
Potter, D.D., see Ebmeier, K.P. (84) 280
Pratt, H., Martin, W.H., Schwegler, J.W., Rosenwasser, R.H., Rosenberg, S.I. and Flamm, E.S.
Temporal correspondence of intracranial, cochlear and scalp-recorded human auditory nerve action potentials (84) 447
Pryds, O.
Stimulus rate-induced VEP attenuation in preterm infants (84) 188

Reilly, J.A., Hallett, M., Cohen, L.G., Tarkka, I.M. and Dang, N.
The N30 component of somatosensory evoked potentials in patients with dystonia (84) 243
Restuccia, D., see Di Lazzaro, V. (84) 433
Roberts, L.E., see Birbaumer, N. (84) 353
Roccaforte, P., see Stone, J.L. (84) 180
Rockstroh, B., see Birbaumer, N. (84) 353
Roessler, E., see Paller, K.A. (84) 269
Romani, A., see Versino, M. (84) 296
Rosén, I., see Wirsén, A. (84) 127
Rosenberg, S.I., see Pratt, H. (84) 447
Rosenwasser, R.H., see Pratt, H. (84) 447
Ross, B., see Csépe, V. (84) 538
Ross, M., see Yamada, T. (84) 492
Rubner, D.E., see Slimp, J.C. (84) 55
Rugg, M.D., Brovedani, P. and Doyle, M.C.
Modulation of event-related potentials (ERPs) by word repetition in a task with inconsistent mapping between repetition and response (84) 521

Saito, T., see Yamada, T. (84) 492
Salzen, E.A., see Ebmeier, K.P. (84) 280
Schieppati, M., see Fava, E. (84) 426
Schoobaar, R.P., see Franssen, H. (84) 401
Schroeder, C.E., see Steinschneider, M. (84) 196
Schroeder, C.E., Tenke, C.E. and Givre, S.J.
Subcortical contributions to the surface-recorded flash-VEP in the awake macaque (84) 219
Schwafel, J., see Buchwald, J.S. (84) 164
Schwegler, J.W., see Pratt, H. (84) 447
Seaba, P.J., see Nagaoka, T. (84) 473
Seidman, L.J., see Holinger, D.P. (84) 532
Seiple, W.H., see Nelson, J.I. (84) 1
Sevastyanov, A.V., see Kropotov, J.D. (84) 373
Shamena, A., see Yaqub, B.A. (84) 549
Shenton, M.E., see Holinger, D.P. (84) 532
Shibasaki, H., see Kakigi, R. (84) 110
Shibasaki, H., see Nagamine, T. (84) 248
Simini, G., see Cusumano, S. (84) 499
Simpson, G.V., see Steinschneider, M. (84) 196
Skuse, N.F. and Burke, D.
Sequence-dependent deterioration in the visual evoked potential in the absence of drowsiness (84) 20
Slade, T., see Pelosi, L. (84) 344
Slade, T., see Pelosi, L. (84) 515
Slimp, J.C., Rubner, D.E., Snowden, M.L. and Stolov, W.C.
Dermatomal somatosensory evoked potentials: cervical, thoracic, and lumbosacral levels (84) 55
Sloan, E.P. and Fenton, G.W.
Serial visual evoked potential recordings in geriatric psychiatry (84) 325
Snowden, M.L., see Slimp, J.C. (84) 55
Snyder, A.Z.
Steady-state vibration evoked potentials: description of technique and characterization of responses (84) 257
Sokol, N.S., see Holinger, D.P. (84) 532
Sonoo, M., Genba, K., Iwatsubo, T. and Mannen, T.
P15 in tibial nerve SEPs as an example of the junctional potential (84) 486
Sonoo, M., Genba, K., Zai, W., Iwata, M., Mannen, T. and Kanazawa, I.
Origin of the widespread N18 in median nerve SEP (84) 418
Stegeman, D.F., see Franssen, H. (84) 401
Steinschneider, M., Tenke, C.E., Schroeder, C.E., Javitt, D.C., Simpson, G.V., Arezzo, J.C. and Vaughan, Jr., H.G.
Cellular generators of the cortical auditory evoked potential initial component (84) 196
Stenberg, G., see Wirsén, A. (84) 127
Stolov, W.C., see Slimp, J.C. (84) 55
Stone, J.L., Ghaly, R.F., Levy, W.J., Kartha, R., Krinsky, L. and Roccaforte, P.
A comparative analysis of enflurane anesthesia on primate motor and somatosensory evoked potentials (84) 180
Summala, H., see Kujala, T. (84) 469
Sutherling, W.W., see Baumgartner, C. (84) 115
Suwazono, S., see Nagamine, T. (84) 248

Tahan, A., see Yaqub, B.A. (84) 549
Takashima, H., see Kakigi, R. (84) 110
Tanguay, P., see Buchwald, J.S. (84) 164

Tarkka, I.M., see Reilly, J.A. (84) 243
Tenke, C.E., see Schroeder, C.E. (84) 219
Tenke, C.E., see Steinschneider, M. (84) 196
Tokimura, T., see Urasaki, E. (84) 232
Tonali, P., see Di Lazzaro, V. (84) 433
Török, B., Meyer, M. and Wildberger, H.
The influence of pattern size on amplitude, latency and wave form of retinal and cortical potentials elicited by checkerboard pattern reversal and stimulus onset-offset (84) 13
Trofimova, L.G., see Kropotov, J.D. (84) 386

Urasaki, E., Wada, S., Kadoya, C., Tokimura, T., Yokota, A., Yamamoto, S., Fukumura, A. and Hamada, S.
Amplitude abnormalities in the scalp far-field N18 of SSEPs to median nerve stimulation in patients with midbrain-pontine lesion (84) 232

Van Lancker, D., see Buchwald, J.S. (84) 164
Van Luijtelaar, E.L.J.M., see Inoue, M. (84) 172
Vaughan, Jr., H.G., see Steinschneider, M. (84) 196
Verleger, R., Kömpf, D. and Neukäter, W.
Event-related EEG potentials in mild dementia of the Alzheimer type (84) 332
Versino, M., Bergamaschi, R., Romani, A., Banfi, P., Callieco, R., Citterio, A., Gerosa, E. and Cosi, V.
Middle latency auditory evoked potentials improve the detection of abnormalities along auditory pathways in multiple sclerosis patients (84) 296
Vossen, J.M.H., see Inoue, M. (84) 172

Wada, S., see Urasaki, E. (84) 232
Walker, D.D., see Nagaoka, T. (84) 473
Wildberger, H., see Török, B. (84) 13
Wilhelms, S., see Firsching, R. (84) 321
Wirsén, A., Stenberg, G., Rosén, I. and Ingvar, D.H.
Quantified EEG and cortical evoked responses in patients with chronic traumatic frontal lesions (84) 127
Wood, C.C., see Allison, T. (84) 301
Wood, C.C., see Paller, K.A. (84) 269
Woods, D.L.
Auditory selective attention in middle-aged and elderly subjects: an event-related brain potential study (84) 456
Wyble, L., see Karniski, W. (84) 44

Yamada, T., see Nagaoka, T. (84) 473
Yamada, T., Saito, T., Matsue, Y., Honda, Y., Fuchigami, T., Fujii, M. and Ross, M.
The influence of interfering input from the peroneal nerve on tibial-nerve somatosensory evoked potential (84) 492
Yamaguchi, S. and Knight, R.T.
Effects of temporal-parietal lesions on the somatosensory P3 to lower limb stimulation (84) 139
Yamamoto, S., see Urasaki, E. (84) 232
Yaqub, B.A., Kabiraj, M.M.U., Shamena, A., Al-Bunyan, M., Daif, A. and Tahan, A.
Diagnostic role of brain-stem auditory evoked potentials in neurobrucellosis (84) 549
Yokota, A., see Urasaki, E. (84) 232

Zai, W., see Sonoo, M. (84) 418

Electroencephalography and clinical Neurophysiology, 84 (1992) 557–561
© 1992 Elsevier Scientific Publishers Ireland, Ltd. 0168-5597/92/$05.00

Index of Subjects

VOLUME 84, 1992 (Evoked Potentials)

(Abstracts from Society Proceedings are not included)

Absences
– VEPs during spike-wave discharge in rats, 172
Age
– auditory selective attention, 456
– serial VEPs in geriatric psychiatry, 325
Alpha rhythm
– VEPs in high and low alpha subjects, 101
Alzheimer's disease
– ERPs in mild dementia, 332
– serial VEPs in geriatric psychiatry, 325
Anesthesia
– enflurane effects on MEPs and SEPs, 180
Aortic aneurysm and spinal cord monitoring, 315
Attention
– and aging, 456
– ER neuronal response. Cognitive functions, 386
– P3 reduction by temporal-parietal lesions, 139
Audiometry in neurobrucellosis, 549
Audition
– sound localization in the blind, 469
Auditory cortex
– aging and auditory selective attention, 456
– cellular generators of the initial cortical AEP, 196
Auditory evoked fields
– mismatch field to minor pitch changes, 538
Auditory evoked potentials
– after frontal trauma, 127
– at onset and offset of sound modulation, 149
– binaural interaction in guinea pig MLR, 362
– cellular generators, 196
– in multiple sclerosis, 296
– late potential MLD and noise bandwidth, 157
– maximum length sequence and AEPs, 90
– P1 abnormalities in autistic subjects, 164
– P300 lateralized asymmetries in schizophrenics, 532
Auditory nerve activity, 447
Auditory selective attention, 456
Autism and P1 abnormalities, 164

BAEPs, *see* Brain-stem auditory evoked potentials
Bandpass filtering
– and ERPs, 280
– meta-analysis in Parkinson's disease, 440
Basal ganglia
– N30 component of SEPs in dystonia, 243
Behavior
– area-specific slow cortical potential regulation, 353
Binaural interaction in guinea pig MLR, 362
Blindness and sound localization, 469
Brain death and pyramidal tract function, 321
Brain-stem
– amplitude abnormality of N18, 232
– P1 abnormalities in autistic subjects, 164
– widespread N18 in median nerve SEP, 418
Brain-stem auditory evoked potentials
– auditory nerve activity, 447
– brain function in post-traumatic coma, 499
– in Down's syndrome, 293
– in neurobrucellosis, 549

Capacitive coupling
– "cross-talk" in recording EPs, 473
Carotid endarterectomy, SEP and selective shunt, 426
Central gating
– mental movement simulation and frontal N30 SEP, 288
Cerebral blood flow
– stimulus rate-induced VEP in preterm infants, 188
Cerebral lesions, *see* Lesions
Cerebrospinal fluid
– BAEPs in neurobrucellosis, 549
Cerebrovascular disease
– dipole modelling of median nerve SEP, 401
Chemosensory evoked potentials, 84, 192
Children, *see* Premature infants
Cholinergic system
– P1 abnormalities in autistic subjects, 164
Cochlear potential, 447
Cognitive processes
– ER neuronal response, 386
– ERP correlates of intelligence tests, 515
– human and monkey ERPs, 269
Coma
– assessing brain function, 499
Compound action potentials
– auditory nerve activity, 447
Compressive lesions of the optic chiasm and VEPs, 209
Computed EEG topography, *see* Topographic mapping
Computerized tomography
– assessing brain function in post-traumatic coma, 499
Concussion, *see* Traumatic brain injury
Conditioning
– tibial SEP conditioned by peroneal nerve input, 492
Conduction
– in vitamin B12 deficiency, 433
– SEPs in the term newborn, 26
Contamination
– "cross-talk" in recording EPs, 473
Contrast sensitivity, 1, 13
Cortex
– olfactory and trigeminal chemosensory EPs, 84
Cuneate nucleus
– widespread N18 in median nerve SEP, 418
Current dipole or source, *see* Generators
Cutaneous afferents
– dermatomal SEPs, 55

Degeneration
– central conduction in vitamin B12 deficiency, 433

Dementia
– ERPs and meta-analysis in Parkinson's disease, 440
– ERPs in mild dementia, 332
– serial VEPs in geriatric psychiatry, 325
Dermatomal SEPs, 55
Development of SEPs in premature infants, 44
Diagnostic value of BAEPs in neurobrucellosis, 549
Dipole modelling of median nerve SEP, 401
Down's syndrome and BAEPs, 293
Drowsiness
– physiological deterioration in the VEP, 20
Dystonia and N30 component of SEPs, 243

Echoic memory
– AEPs at onset and offset of sound modulation, 149
EcoG and somatotopy, 115
EEG
– after frontal trauma, 127
– ERP correlates of intelligence tests, 515
– in high and low alpha subjects, 101
– in mild dementia, 332
– selective shunt during carotid endarterectomy, 426
– *see also* Quantitative EEG
Elderly, *see* Age
Electroretinogram
– improving pattern ERG recording, 394
– possible mechanisms of pattern ERG, 13
Enflurane effects on MEPs and SEPs, 180
Epilepsy
– human and monkey ERPs, 269
– somatotopy studied on ECoG, 115
– VEPs during spike-wave discharge in rats, 172
Event-related neuronal responses
– cognitive functions, 386
– sensory and motor functions, 373
Event-related potentials
– aging and auditory selective attention, 456
– and high-pass filtering, 280
– and word repetition, 521
– chemosensory ERPs, 192
– correlates of intelligence tests, 515
– human and monkey ERPs, 269
– in mild dementia, 332
– meta-analysis in Parkinson's disease, 440
– P3 reduction by temporal-parietal lesions, 139
– sound localization in the blind, 469
– wave form variations of memory scanning ERPs, 344
Evoked potentials
– auditory, *see* Auditory evoked potentials
– BAEPs, *see* Brain-stem auditory evoked potentials
– cellular generators of the initial cortical AEP, 196
– "cross-talk" in recording EPs, 473
– intracranial and surface auditory nerve activity, 447
– somatosensory, *see* Somatosensory evoked potentials
– somatotopy studied on ECoG, 115
– spinal cord monitoring for aortic aneurysm, 315
– steady-state vibration evoked potentials, 257
– visual, *see* Visual evoked potentials
Expectation
– ER neuronal response and cognitive functions, 386

Feedback
– area-specific slow cortical potential regulation, 353
Filtering
– high-pass filtering and ERPs, 280
Foot stimulation
– P3 reduction by temporal-parietal lesions, 139
Frequency
– aging and auditory selective attention, 456
Frontal cortex
– cortex-scalp SEP comparison, 301
– mental movement simulation and frontal N30 SEP, 288
– qEEG and EPs after frontal trauma, 127
Full-field stimulation
– VEP in compressive lesions of the optic chiasm, 209
Functional anatomy
– somatotopy studied on ECoG, 115
Fuzzy clustering
– intracranial and surface auditory nerve activity, 447

Gating
– mental movement simulation and frontal N30 SEP, 288
– tibial SEP conditioned by peroneal nerve input, 492
Generators
– cortex-scalp SEP comparison, 301
– CSD mapping of SEPs, 248
– intracranial and surface auditory nerve activity, 447
– olfactory and trigeminal chemosensory EPs, 84
– of the initial cortical AEP, 196
– subcortical VEP generator in monkey, 219
Guinea pig
– binaural interaction in MLR, 362

Handedness in schizophrenics, 532
Hand muscles somatotopy studied on ECoG, 115
Head injury and brain functions, 499
Hemianopsia, 201
Hemifield stimulation
– foveal VEP, 201
– VEP in compressive lesions of the optic chiasm, 209
Hemispheric specialization
– aging and auditory selective attention, 456
– P300 lateralized asymmetries in schizophrenics, 532
HTLV-I-associated myelopathy, 110

Increment threshold
– human VEP contrast modulation sensitivity, 1
Intelligence test and ERP correlates, 515
Intersubject variability
– wave form variations of memory scanning ERPs, 344
Intracranial recording
– cortex-scalp SEP comparison, 301
– human and monkey ERPs, 269
– subcortical VEP generator in monkey, 219
Intracranial pressure
– assessing brain function in post-traumatic coma, 499
Intraoperative monitoring
– for aortic aneurysm, 315
– intracranial and surface auditory nerve activity, 447
– selective shunt during carotid endarterectomy, 426
Ischemia
– SEP and selective shunt during carotid endarterectomy, 426
– spinal cord monitoring for aortic aneurysm, 315

Junctional potential
– P15 in tibial nerve SEP, 486

Lacunar infarcts
– dipole modelling of median nerve SEP, 401
Lateral geniculate body
– subcortical VEP generator in monkey, 219
Laterality
– olfactory and trigeminal chemosensory EPs, 84
– P300 lateralized asymmetries in schizophrenics, 532

Lesion
– amplitude abnormality of N18, 232
– dipole modelling of median nerve SEP, 401
– foveal VEP revealed by hemifield stimulation, 201
– pyramidal tract function and brain death, 321
– P3 reduction by temporal-parietal lesions, 139
– qEEG and EPs after frontal trauma, 127
– VEP in compressive lesions of the optic chiasm, 209
– widespread N18 in median nerve SEP, 418
Lissajous' trajectories
– intracranial and surface auditory nerve activity, 447

Magnetic evoked field
– mismatch field to minor pitch changes, 538
– pyramidal tract function and brain death, 321
Magnetic stimulation
– central conduction in vitamin B12 deficiency, 433
– enflurane effects on MEPs and SEPs, 180
Mapping, *see* Topographic mapping
Masking level difference
– late potential MLD and noise bandwidth, 157
Maximum length sequence and AEPs, 90
Median nerve SEPs
– amplitude abnormality of N18, 232
– cortex-scalp SEP comparison, 301
– CSD mapping, 248
– dipole modelling, 401
– in the term newborn, 26
– N30 SEP component in dystonia, 243
– selective shunt during carotid endarterectomy, 426
– SEP unmasking by increasing stimulus rate, 71
– widespread N18, 418
Memory
– ER neuronal response. Cognitive functions, 386
– ERP correlates of intelligence tests, 515
– ERPs and word repetition, 521
– wave form variations of memory scanning ERPs, 344
Meningoencephalitis
– BAEPs in neurobrucellosis, 549
Mental movement simulation and frontal N30 SEP, 288
Meta-analysis in Parkinson's disease, 440
Midbrain lesion and amplitude abnormality of N18, 232
Midlatency responses
– AEPs in multiple sclerosis, 296
– binaural interaction in guinea pig MLR, 362
– P1 abnormalities in autistic subjects, 164
Mismatch process
– AEPs at onset and offset of sound modulation, 149
– aging and auditory selective attention, 456
– mismatch field to minor pitch changes, 538
Modelling of median nerve SEP, 401
Monkey
– cellular generators of the initial cortical AEP, 196
– enflurane effects on MEPs and SEPs, 180
– human and monkey ERPs, 269
– subcortical VEP generator, 219
Motor evoked potentials
– enflurane effects, 180
Movement
– ER neuronal responses, 373
– mental movement simulation and frontal N30 SEP, 288
– *see also* Preparation to movement
Multi-infarct dementia and serial VEPs, 325
Multiple sclerosis and midlatency AEPs, 296
Multiunit activity
– cellular generators of the initial cortical AEP, 196
– ER neuronal responses, 373, 386
Myelopathy
– spinal functions in HTLV-I-associated myelopathy, 110

Neural plasticity
– sound localization in the blind, 469
Neurobrucellosis and BAEPs, 549
Neurological disorders
– central conduction in vitamin B12 deficiency, 433
Neuronal activity
– cognitive functions, 386
– sensory and motor functions, 373
Newborn SEPs, 26
Nicotine and chemosensory ERPs, 192
Nociception, *see* Pain
Noise masking effect
– late potential MLD and noise bandwidth, 157
Normal human subjects
– cortex-scalp SEP comparison, 301
– "cross-talk" in recording EPs, 473
– CSD mapping of SEPs, 248
– dermatomal SEPs, 55
– dipole modelling of median nerve SEP, 401
– ERP correlates of intelligence tests, 515
– ERPs and word repetition, 521
– evaluation of reference sites for recording SEPs, 477
– foveal VEP revealed by hemifield stimulation, 201
– human VEP contrast modulation sensitivity, 1
– improving pattern ERG recording, 394
– mental movement simulation and frontal N30 SEP, 288
– mismatch field to minor pitch changes, 538
– olfactory and trigeminal chemosensory EPs, 84
– physiological deterioration in the VEP, 20
– possible mechanisms of pattern ERG, 13
– P15 in tibial nerve SEP, 486
– SEP unmasking by increasing stimulus rate, 71
– steady-state vibration evoked potentials, 257
– tibial SEP conditioned by peroneal nerve input, 492
– VEPs in high and low alpha subjects, 101
– wave form variations of memory scanning ERPs, 344
– widespread N18 in median nerve SEP, 418
Novelty condition
– P3 reduction by temporal-parietal lesions, 139
N18
– amplitude abnormality, 232
– widespread N18 in median nerve SEP, 418
N30
– and mental movement simulation, 288
– in dystonia, 243
N70
– foveal VEP revealed by hemifield stimulation, 201

Oddball paradigm
– human and monkey ERPs, 269
Olfaction
– chemosensory ERPs, 192
– olfactory and trigeminal chemosensory EPs, 84
Onset-offset stimulation
– AEPs at onset and offset of sound modulation, 149
– possible mechanisms of pattern ERG, 13
Optic chiasm compressive lesions, 209
Orientation
– aging and auditory selective attention, 456
– P3 reduction by temporal-parietal lesions, 139
Oscillatory potentials
– subcortical VEP generator in monkey, 219
Outcome of frontal trauma, 127

Pain
– chemosensory ERPs, 192
– evaluation of reference sites for recording SEPs, 477
– olfactory and trigeminal chemosensory EPs, 84
– spinal functions in HTLV-I-associated myelopathy, 110
Paraplegia
– spinal cord monitoring for aortic aneurysm, 315
Parkinsonism
– ER neuronal responses, 373, 386
– ERPs and meta-analysis, 440
– high-pass filtering and ERPs, 280
Parietal-temporal lesions and P3 reduction, 139
Pattern ERG recording, 394
Pattern onset
– foveal VEP revealed by hemifield stimulation, 201
Pattern reversal
– possible mechanisms of pattern ERG, 13
Peroneal nerve input conditioning tibial SEP, 492
Pons
– amplitude abnormality of N18, 232
Posterior column
– spinal functions in HTLV-I-associated myelopathy, 110
Post-traumatic coma
– assessing brain function, 499
Premature infants
– SEP development, 44
– SEP principal component topography, 32
– stimulus rate-induced VEP, 188
Preparatory set
– ER neuronal responses, 373, 386
Primary afferent depolarization
– widespread N18 in median nerve SEP, 418
Principal component analysis in premature infants, 32
Prognosis in post-traumatic coma, 499
Pyramidal tract function and brain death, 321
P1 abnormalities in autistic subjects, 164
P15 in tibial nerve SEP, 486
P3
– ERPs in mild dementia, 332
– high-pass filtering and ERPs, 280
– human and monkey ERPs, 269
– P3 reduction by temporal-parietal lesions, 139
P300
– after frontal trauma, 127
– and meta-analysis in Parkinson's disease, 440
– lateralized asymmetries in schizophrenics, 532

Quantitative EEG after frontal trauma, 127

Rat VEP during spike-wave discharge, 172
Reaction time
– aging and auditory selective attention, 456
– physiological deterioration in the VEP, 20
– wave form variations of memory scanning ERPs, 344
Recovery function
– tibial SEP conditioned by peroneal nerve input, 492
Reference site evaluation for recording SEPs, 477
Refractory period
– maximum length sequence and AEPs, 90
Repetition
– ERPs and word repetition, 521
Reticular activating system
– P1 abnormalities in autistic subjects, 164

Scalp recording
– dermatomal SEPs, 55
Schizophrenia
– high-pass filtering and ERPs, 280
– P300 lateralized asymmetries, 532
Selective shunt during carotid endarterectomy, 426
Senility, *see* Age
Sensorimotor cortex
– somatotopy studied on ECoG, 115
Sequence
– physiological deterioration in the VEP, 20
Serial VEPs in geriatric psychiatry, 325
Short latency components
– cellular generators of the cortical AEP, 196
– foveal VEP revealed by hemifield stimulation, 201
Signal/noise
– intracranial and surface auditory nerve activity, 447
Simulation of mental movement and frontal N30 SEP, 288
Single photon emission tomography
– assessing brain function in post-traumatic coma, 499
Sleep-wakefulness cycle
– VEPs during spike-wave discharge in rats, 172
Slow potential
– area-specific slow cortical potential regulation, 353
Somatosensory cortex
– cortex-scalp SEP comparison, 301
Somatosensory evoked potentials
– after frontal trauma, 127
– amplitude abnormality of N18, 232
– assessing brain function in post-traumatic coma, 499
– central conduction in vitamin B12 deficiency, 433
– cortex-scalp SEP comparison, 301
– "cross-talk" in recording EPs, 473
– CSD mapping, 248
– dermatomal SEPs, 55
– dipole modelling, 401
– enflurane effects, 180
– evaluation of reference sites, 477
– in premature infants, 32, 44
– in the term newborn, 26
– mental movement simulation and frontal N30 SEP, 288
– N30 component of SEPs in dystonia, 243
– pyramidal tract function and brain death, 321
– P15 in tibial nerve SEP, 486
– P3 reduction by temporal-parietal lesions, 139
– selective shunt during carotid endarterectomy, 426
– SEP unmasking by increasing stimulus rate, 71
– somatotopy studied on ECoG, 115
– spinal functions in HTLV-I-associated myelopathy, 110
– steady-state vibration evoked potentials, 257
– tibial SEP conditioned by peroneal nerve input, 492
– widespread N18, 418
Sound
– AEPs at onset and offset of sound modulation, 149
– sound localization in the blind, 469
Source localization
– mismatch field to minor pitch changes, 538
Spatial distribution, *see* Topographic mapping
Spatial frequency
– foveal VEP revealed by hemifield stimulation, 201
Spatio-temporal analysis
– steady-state vibration evoked potentials, 257
Spike-wave discharge and VEPs in rats, 172
Spinal functions
– in HTLV-I-associated myelopathy, 110
– monitoring for aortic aneurysm, 315
Steady-state response
– steady-state vibration evoked potentials, 257
– VEPs in high and low alpha subjects, 101

Sterno-vertebral electrode
– evaluation of reference sites for recording SEPs, 477
Stimulus preceding negativity
– area-specific slow cortical potential regulation, 353
Stimulus rate
– SEP unmasking by increasing stimulus rate, 71
– stimulus rate-induced VEP in preterm infants, 188
Striate cortex
– subcortical VEP generator in monkey, 219
Striatum
– amplitude abnormality of N18, 232
Stray capacitance
– "cross-talk" in recording EPs, 473
Striopallidum
– ER neuronal responses, 373, 386
Stroke
– SEP and selective shunt during carotid endarterectomy, 426
Subacute combined degeneration
– central conduction in vitamin B12 deficiency, 433
Supplementary motor area
– cortex-scalp SEP comparison, 301
– mental movement simulation and frontal N30 SEP, 288
– N30 component of SEPs in dystonia, 243
Sural nerve
– evaluation of reference sites for recording SEPs, 477
Synaptic occlusion
– tibial SEP conditioned by peroneal nerve input, 492

Task difficulty
– wave form variations of memory scanning ERPs, 344
Target P3 and temporal-parietal lesions, 139
Temporal lobe
– human and monkey ERPs, 269
Temporal-parietal lesions, 139
Thalamus
– amplitude abnormality of N18, 232
– dipole modelling of median nerve SEP, 401
– ER neuronal responses, 373, 386
– widespread N18 in median nerve SEP, 418
Threshold regulation of EEG
– area-specific slow cortical potential regulation, 353
Tibial nerve SEP
– conditioned by peroneal nerve input, 492
– CSD mapping, 248
– P15, 486
Topographic mapping
– CSD mapping of SEPs, 248
– N30 component of SEPs in dystonia, 243
– of SEP in premature infants, 32
– olfactory and trigeminal chemosensory EPs, 84
– SEP development in premature infants, 44
– SEP unmasking by increasing stimulus rate, 71
– somatotopy studied on ECoG, 115
Transcranial brain stimulation
– enflurane effects on MEPs and SEPs, 180
Traumatic brain injury
– assessing brain function, 499
– qEEG and EPs, 127
Trigeminal chemosensory EPs, 84

Verbal reports
– area-specific slow cortical potential regulation, 353
Vibration-evoked potentials, 257
Vigilance
– physiological deterioration in the VEP, 20
Visual cortex
– subcortical VEP generator in monkey, 219
Visual deprivation
– sound localization in the blind, 469
Visual evoked potentials
– contrast modulation sensitivity, 1
– during spike-wave discharge in rats, 172
– enflurane effects, 180
– foveal VEP revealed by hemifield stimulation, 201
– human and monkey ERPs, 269
– improving pattern ERG recording, 394
– in compressive lesions of the optic chiasm, 209
– in high and low alpha subjects, 101
– physiological deterioration, 20
– possible mechanisms of pattern ERG, 13
– serial VEPs in geriatric psychiatry, 325
– subcortical generator in monkey, 219
Vitamin B12 deficiency and central conduction, 433

Wave form variations of memory scanning ERPs, 344
Word repetition and ERPs, 521